

# BERGER






























---



Landscape



## Landscape/Forest

Picture	Order Description no.	EAN-Code 4006457			
    	<b>1200</b> BERGER-Gardening shear exchangeable blade, forged metal body, chromium-plated hook	012005	255	215	6
   	<b>91201</b> Knife blade for no. 1200	912015	26	84	1
    	<b>1760</b> BERGER-Gardening shear forged metal body, chromium-plated cutting head, one handed thumb lock	017604	240	215	6
    	<b>1918</b> BERGER-Anvil shear large design, exchangeable, anti adhesive coated blade, pulling cut, handles with hand guard	019189	270	205	6
   	<b>91603</b> Knife blade XYLAN for no. 1918	916037	26	88	1
  	<b>3910</b> BERGER-Bill hook hot drop forged, hand sharpened, brass casing, foldable blade, blade length 65 mm	039101	105	180 total	6

## Landscape/Forest

	<p><b>3930</b> BERGER-Bill hook foldable blade made of high-grade stainless steel with special cut, plastic handle with metal casing and solid spring, blade length 70 mm</p>	039309	85	180 total	6
	<p><b>4195</b> BERGER-Classic lopping shear forged cutting head with anti adhesive blade, high-grade aluminium tube, handles with hand guard and buffers</p>	041951	835	450	3
	<p><b>4200</b> BERGER-Classic lopping shear forged cutting head with anti adhesive blade, high-grade aluminium tube, handles with hand guard and buffers</p>	042002	955	600	3
	<p><b>4204</b> BERGER-Classic lopping shear forged cutting head with anti adhesive blade, high-grade aluminium tube, handles with hand guard and buffers</p>	042040	1105	750	3

## Landscape/Forest

	<p><b>4245</b> BERGER-Profi-anvil lopping shear with power transfer, cutting head made of high-grade steel with exchangeable blade and anvil</p>	042453	1300	650	3
	<p><b>4255</b> BERGER-Profi-anvil lopping shear with power transfer, cutting head made of high-grade steel with exchangeable blade and anvil</p>	042552	1460	800	3
	<p><b>94453</b> Blade for no. 4255 and no. 4245</p>	944535	172	170	1
	<p><b>94442</b> Anvil for no. 4245 and no. 4255</p>	944429	112		1
<p><b>NEW</b></p>	<p><b>4260</b> BERGER-Lopping shear forged and replaceable hook and blade, hook with sap groove and fixing notches, shock absorber, high-grade aluminium tubes, comfortable grips with hand guard</p>	042606	1550	680	3
<p><b>NEW</b></p>	<p><b>4280</b> BERGER-Lopping shear forged and replaceable hook and blade, hook with sap groove and fixing notches, shock absorber, high-grade aluminium tubes, comfortable grips with hand guard</p>	042804	1695	830	3





## Landscape/Forest

	<b>94008</b> Blade for no. 4260 and no. 4280	940087	505	315	1
	<b>94007</b> Hook for no. 4260 and no. 4280	940070	455	315	1
	<b>4590</b> BERGER-Hedge shear 2 sap grooves, chromium-plated blades, waved edges, buffers, length 240 mm	'045904	1020	540	3
 	 				
<b>NEW</b> 	<b>5100</b> BERGER-Leather sheath for all gardening shears of group 1000, with loop for belt and metal clip	051004	105	230	6
	<b>5450</b> BERGER-Axe forged, with wooden fawn foot handle, Rheinisch shape	054500	1250	700	6
					
	<b>5706</b> BERGER-Grinding stone 2 sides with coarse-fine grade 100 x 25 x 13 mm	057068	64	100	6
	<b>61510</b> BERGER-Garden saw with beechwood handle, exchangeable hard chromium-plated high performance saw blade (Japanese shape), blade length 330 mm	615107	245	330	5
	  	 			









## Landscape/Forest

	<p><b>96510</b> Saw blades with additional deep groove for gardener saws no. 61510</p>	<p>965103</p>	<p>112</p>	<p>330</p>	<p>1</p>	
<p><b>NEW</b></p>		<p><b>5115</b> BERGER-Saw safety cover for garden saws no. 61510 and no. 61512, light weight textile sheath with solid inner plastic application for protecting the complete saw blade, extra riveting, loop fits on belt, additional strap for safety transport</p>	<p>051158</p>	<p>170</p>	<p>420</p>	<p>5</p>
	<p><b>61812</b> BERGER-Garden saw metal ferrule, hard chromium-plated high performance saw blade (Japanese shape), blade length 330 mm</p>	<p>618122</p>	<p>260</p>	<p>330</p>	<p>5</p>	
						
<p><b>NEW</b></p>		<p><b>5116</b> BERGER-Saw safety cover for garden saw no. 61812, light weight textile sheath with solid inner plastic application for protecting the complete saw blade, extra riveting, loop fits on belt, additional strap for safety transport</p>	<p>051165</p>	<p>170</p>	<p>450</p>	<p>5</p>
	<p><b>61952</b> BERGER-Garden saw profi with pulling hook and branch rejector, metal ferrule, hard chromium-plated high performance saw blade (Japanese shape), additionally fitted with high-tec toothing, blade length 400 mm</p>	<p>619525</p>	<p>340</p>	<p>400</p>	<p>5</p>	
						

## Landscape/Forest

<b>NEW</b>		<b>5118</b> BERGER-Garden saw profi with pulling hook and branch rejector, metal ferrule, hard chromium-plated high performance saw blade (Japanese shape), additionally fitted with high-tec toothing, blade length 400 mm	051189	285	450	5
		<b>64650</b> BERGER-Folding saw exchangeable, hard chromium-plated high-grade saw blade (Japanese shape) as described below, safety lock, ergonomic handle, blade length 180 mm	'646507	210	180	6
						
		<b>96650</b> Saw blade for folding saw no. 64650, 180 mm	966506	40	180	1
<b>NEW</b>		<b>5480</b> BERGER-Branch hook made from high strength aluminium to control the felling of larger branches and support the felling of weaker trees, with additional spikes on the inner side incl. attachment adapter suitable for all BERGER telescopic handles, inner diameter $\varnothing$ : 20 cm, max. capacity 13 KN, 1.3 tons,	054807	1300	550	1
		Attention : Only use ropes of the at least same capacity!				
		Rope and telescopic handle are not included in delivery.				
		<b>72002</b> BERGER-Wooden adapter Attachment tools with a conical socket are easily connected thanks to the wooden adapter and wing nut (No. 5800 Fruit picker, No. 5706 Universal Hook) and the BERGER Telescopic handles	720023	100	140	1

## Landscape/Forest

 	<p><b>74300</b> BERGER-Telescopic handle <b>2 parts</b></p>  <p>high strength aluminium tubes, continuously adjustable from 1,75 m to 3,20 m, enables easy use on heights up to 4,80m, perfect transport length of 1,75 m</p>	<p>743008</p>	<p>1160</p>	<p>1750 to 3200</p> <p>5 1/2 ft. to 10 1/2 ft.</p>	<p>3</p>
 	<p><b>74800</b> BERGER-Telescopic handle <b>3 parts</b></p>  <p>high strength aluminium tubes, continuously adjustable from 1,75 m to 4,65 m, enables easy use on heights up to 6,25m, perfect transport length of 1,75 m</p>	<p>748003</p>	<p>1600</p>	<p>1750 to 4650</p> <p>5 1/2 ft. to 15 1/4 ft.</p>	<p>3</p>
<p><b>NEW</b></p>	<p><b>74350</b> BERGER-Telescopic handle <b>2 parts</b></p>  <p>short version, specially suitable for tree climbers and rope assisted tree care with a metal clasp for clipping onto belts, high-strength aluminium handle, full metal fastening, infinitely variable from 83 cm to 140 cm</p>	<p>743503</p>	<p>900</p>	<p>830 to 1400</p> <p>2 1/2 ft. to 4 1/2 ft.</p>	<p>3</p>
<p><b>NEW</b></p>	<p><b>74850</b> BERGER-Telescopic handle <b>3 parts</b></p>  <p>short version, specially suitable for tree climbers and rope assisted tree care with a metal clasp for clipping onto belts, high-strength aluminium handle, full metal fastening, infinitely variable from 83 cm to 190 cm</p>	<p>748508</p>	<p>1200</p>	<p>830 to 1900</p> <p>2 1/2 ft. to 6ft.</p>	<p>3</p>



# BERGER

## **JULIUS BERGER GmbH & Co. KG - Werkzeugfabrik**

Kohlfurther Straße 4-6  
D - 42349 Wuppertal, Germany

Tel.: +49 (0) 202 47 00 84  
Fax: +49 (0) 202 47 60 59

e-mail: [info@berger-garten.com](mailto:info@berger-garten.com)  
Internet: [www.berger-garten.com](http://www.berger-garten.com)